

PURPOSE

Opening a new route in solid mechanics: Printed protective structures



PhD position in ERC Starting Grant

PURPOSE

Dynamic fragmentation of metals is typically addressed within a statistical framework in which material and geometric flaws limit the energy absorption capacity of protective structures. This project is devised to challenge this idea and establish a new framework which incorporates a deterministic component within the fragmentation mechanisms. In order to check the correctness of this new theory, we will develop a comprehensive experimental, analytical and numerical methodology to address 4 canonical fragmentation problems which respond to distinct geometric and loading conditions which make them easily identifiable from a mechanical standpoint. For each canonical problem, we will investigate traditionally-manufactured and 3D-printed specimens made of 4 different engineering metals frequently used in aerospace and civilian-security applications. The goal is to elucidate whether at sufficiently high strain rates there may be a transition in the fragmentation mechanisms from defects-controlled to inertia-controlled. If the new statistical-deterministic framework is proven to be valid, defects may not play the major role in the fragmentation at high strain rates. This would bring down the entry barriers that the 3D-printing technology has found in energy absorption applications, thus reducing production transportation and repairing, energetic and economic costs of protective structures without impairing their energy absorption capacity.

PhD Research

Multiple localization and fragmentation of thin-walled metallic tubes subjected to dynamic axial penetration

Host

University Carlos III of Madrid



Supervisor

Professor José A. Rodríguez-Martínez

Synopsis

The dynamic axial penetration of thin-walled tubes allows to analyse multiple localization and fragmentation of ductile solids within a 2D framework. Complications resulting from wave propagation are virtually eliminated due to the symmetry of the problem, which reveals the true mechanical properties of the material. The sample stretches during loading until homogeneous deformation fails at large strains, leading to flow localization in the form of multiple necking bands (parallel to the axis of the tube) and subsequent fragmentation. The goal is to bring to light the relationship between the necking and fragmentation patterns, and (1) inertia effects, (2) stress multiaxiality effects and (3) mechanical behaviour of the material. Special attention will be paid to elucidate the role played by material porosity, surface roughness and anisotropy, since these are specific characteristics of additively manufactured specimens. The PhD research will include experimental and analytical work.

PURPOSE

Opening a new route in solid mechanics: Printed protective structures



Research outputs

- **Axial penetration experiments** with four different printed metals (and their traditionally-manufactured counterparts) to assess the mechanisms which control the localization and fragmentation behaviors of additively manufactured materials.
- **Development of 3D perturbation analyses** to investigate the joint effect that inertia, strain rate, porosity and anisotropy have on the onset and development of necking instabilities in thin-walled tubes subjected to dynamic axial penetration.

The final goal is to elucidate whether the material and surface defects of printed metals determine their strength, ductility and energy absorption capacity under impact loading.

Multidisciplinary / international research approach

The experimental part of the research will be conducted at the **University Carlos III of Madrid**. The ESR will become familiar with various experimental techniques and she/he will gain specific experience and know-how in the dynamic axial penetration of thin-walled tubes. Moreover, the ESR will carry out research stays in France, at the **University of Lorraine in Metz**, in the group *Dynamics and Extreme Conditions* (LEM3), where she/he will develop part of the 3D linear perturbation model to assess the interplay between inertia, strain rate, loading path and anisotropy in the formation of necking bands in metallic tubes subjected to axial penetration. The analysis and interpretation of the results, and the comparison between experiments and linear stability analysis will also be conducted at the UC3M. The ESR will be exposed to an international environment in which she/he will have the opportunity to meet and collaborate with prestigious scientists within the framework of Solid Mechanics.

Training activities

The successful candidate will have access to the PhD program of the **University Carlos III of Madrid** as well as to the training activities organized by the Nonlinear Solid Mechanics group led by Professor Jose A. Rodriguez-Martinez. These activities include, among others:

- **Attendance to prestigious international conferences** on Solid Mechanics.
- **Attendance to technical courses** on materials science and continuum mechanics organized by different prestigious institutions, e.g. International Center of Mechanical Sciences (<http://www.cism.it/>).

Benefits

The successful candidate will be employed for 3 years within the framework of a prestigious ERC grant and receive a generous **financial package**.

Key publications

Fressengeas, C., Molinari, A. Fragmentation of rapidly stretching sheets. *European Journal of Mechanics A/Solids*. 1994; 13, 251-268.

Mercier, S., Molinari, A. Analysis of multiple necking in rings under rapid radial expansion. *International Journal of Impact Engineering*. 2004; 30, 403-419.

PURPOSE

Opening a new route in solid mechanics: Printed protective structures



Zhang, H., Ravi-Chandar, K. On the dynamics of necking and fragmentation - I. Real-time and postmortem observations in Al 6061-O. *International Journal of Fracture*. 2006; 142, 183-217.

Zhang, H., Ravi-Chandar, K. On the dynamics of necking and fragmentation - II. E effect of material properties geometrical constraints and absolute size. *International Journal of Fracture*. 2008; 150, 3-36.

Rodríguez-Martínez J. A., Vadillo G., Fernandez-Sáez J., Molinari A. Identification of the critical wavelength responsible for the fragmentation of ductile rings expanding at very high strain rates. *Journal of the Mechanics and Physics of Solids*. 2013; 61: 1357–1376.

Rodríguez-Martínez J. A., Vadillo G., Zaera R., Fernandez-Sáez J. On the complete extinction of selected imperfection wavelengths in dynamically expanded ductile rings. *Mechanics of Materials*. 2013; 60: 107–120.

N'souglo, K. E., Srivastava, A., Osovski, S., Rodríguez-Martínez, J. A. Random distributions of material defects trigger regular necking patterns at high strain rates. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*. 2018; 474, 20170575.

Cliche, N., Ravi-Chandar, K. Dynamic strain localization in magnesium alloy AZ31B-O. *Mechanics of Materials*. 2018; 116, 189-201.

PURPOSE

Opening a new route in solid mechanics: Printed protective structures



Profile

We are looking for highly motivated early-stage researchers with the following profile:

- Hands-on mentality, good organizational and communication skills.
- Proactive attitude and ability to work both independently/autonomously and within a team.
- Good communication skills in **English**. (SPANISH IS NOT REQUIRED)
- Willingness to travel.

Required educational level

Degree	Master degree or equivalent
Degree field	Engineering: civil, mechanical, aerospace
Degree	Master degree or equivalent
Degree field	Physics

Career stage

Early stage researcher or 0-4 years (Post graduate)

Professional and/or research experience

We will particularly consider those candidates with proven experience in technological and/or research activities. Publication/s in journals indexed in the Journal of Citation Reports will be especially welcomed.

Letter of motivation

The candidates must provide a letter of motivation where they clearly state why, under their point of view, they should be enrolled in PURPOSE.

References

At least, one recommendation letter from the scientist/s who mentored the candidate during her/his master studies is required. The letter must clearly expose the profile of the candidate with emphasis in the qualities which make her/him suitable for being recruited in PURPOSE. Additional recommendation letters from any other professor/professional will be most welcomed.

Specific qualifications

Candidates should have a solid background in Continuum Mechanics, Experimental Mechanics, Dynamic Behavior of Materials, Mathematics and Programming.

Flexible working conditions

We are committed to provide flexible hours and home working conditions for researchers having family obligations. The following web-site contains relevant information **related to the EU equal opportunities policy** https://ec.europa.eu/info/aid-development-cooperation-fundamental-rights/your-rights-eu/know-your-rights/equality/non-discrimination_en. Moreover, the web-site <http://www.partnerjob.com/> facilitates geographic mobility by providing help to find a job for an accompanying partner.

PURPOSE

Opening a new route in solid mechanics: Printed protective structures



Contact details

Professor José A. Rodríguez-Martínez

Department of Continuum Mechanics and Structural Analysis. University Carlos III of Madrid
Avenida de la Universidad 30. CP 28911. Leganés (Madrid), Spain.

E-mail address: jarmarti@ing.uc3m.es

Phone number +34 91 624 9904

The application period closes October 1st, 2019

The PhD starts in January 2020